



## Hurst Green Infant School and Nursery

### Calculation Policy for EYFS and KS1


#### The aims of this policy:

Mastery is for all, and the aim of this policy is to ensure all children leave our school with a secure understanding of the four operations and can confidently use both written and mental calculation strategies in a range of contexts. It aims to ensure consistent strategies, models and images are used across the school to embed and deepen children's learning and understanding of mathematical concepts.

The following pages show the progression in calculation (addition, subtraction, multiplication and division) and how this works in line with the Early Years Foundation Stage Curriculum and the National Curriculum. To ensure the consistent use of the CPA (concrete, pictorial, abstract) approach in KS1 we follow Power Maths to help children develop mastery across all the operations in an efficient and reliable way. This policy shows how these methods develop children's confidence in their understanding of both written and mental methods.

#### Teaching equality:

It is important that when teaching the 4 operations that equality (=) is also taught appropriately. Misconceptions that = means that children must 'do something' and that it indicates that an answer is needed are common and must be addressed early on. Teachers should present children with number sentences and problems which place the = sign in different positions, different context and include missing box problems. For example,  $?+4=7$ ;  $7=3+?$ ; , or  $= 5+6$  \_  $7+4$ . In the concrete phase. Scales and Numicon provide a useful resource to demonstrate equality.



#### Importance of vocabulary:

The 2014 National Curriculum places great emphasis on the importance of pupils using the correct mathematical language as a central part of their learning. Children will be unable to articulate their mathematical reasoning if they lack the mathematical vocabulary required to do so. It is therefore essential that teaching using the strategies outlined in this policy is accompanied by the use of appropriate mathematical vocabulary. New vocabulary should be introduced in a suitable context (for example, with relevant real objects, apparatus, pictures or diagrams) and explained carefully. High expectations of the mathematical language used are essential, with teachers modelling and only accepting what is correct. For example:

✓	✗
ones	units
Is equal to	equals
zero	oh (the letter O)
Number sentence	Sum/s

**End of Year Expectations for Calculation:**

EYFS	YEAR 1	YEAR 2
<ul style="list-style-type: none"> <li>• count reliably with numbers from one to 20.</li> <li>• place numbers in order.</li> <li>• say which number is one more or one less than a given number.</li> <li>• using quantities and objects, they add two single-digit numbers and count on to find the answer.</li> <li>• using quantities and objects, they subtract two single-digit numbers and back to find the answer</li> <li>• solve problems, including doubling, halving and sharing.</li> </ul>	<ul style="list-style-type: none"> <li>• read, write and interpret mathematical statements involving addition (+), subtraction (–) and equals (=) signs</li> <li>• represent and use number bonds and related subtraction facts within 20</li> <li>• add and subtract one-digit and two-digit numbers to 20, including zero</li> <li>• solve one-step problems that involve addition and subtraction, using concrete objects and pictorial representations, and missing number problems such as <math>7 = ? - 9</math>.</li> <li>• solve one-step problems involving multiplication and division, by calculating the answer using concrete objects</li> </ul>	<p>solve problems with addition and subtraction:</p> <ul style="list-style-type: none"> <li>• using concrete objects and pictorial representations, including those involving numbers, quantities and measures</li> <li>• applying their increasing knowledge of mental and written methods</li> <li>• recall and use addition and subtraction facts to 20 fluently</li> <li>• derive and use related facts up to 100</li> <li>• add and subtract numbers using concrete objects, pictorial representations, and mentally, including: a two-digit number and ones two-digit</li> </ul>

	<ul style="list-style-type: none"><li>• solve one-step problems involving multiplication and division using pictorial representations and arrays with the support of the teacher</li></ul>	<p>number and tens two two-digit numbers adding three one-digit numbers</p> <ul style="list-style-type: none"><li>• show that addition of two numbers can be done in any order (commutative) and subtraction of one number from another cannot</li><li>• recognise and use the inverse relationship between addition and subtraction and use this to check calculations and solve missing number problems</li><li>• recall and use multiplication and division facts for the 2, 5 and 10 multiplication tables, including recognising odd and even numbers</li><li>• calculate mathematical statements for multiplication and division within the multiplication tables and write them using the multiplication (<math>\times</math>), division (<math>\div</math>) and equals (<math>=</math>) signs</li><li>• show that multiplication of two numbers can be done in any order (commutative) and division of one number by another cannot</li><li>• solve problems involving multiplication and division, using materials, arrays, repeated addition, mental methods, and multiplication and division facts, including problems in contexts</li></ul>
--	--	---

## Progression in Calculations


### Addition

#### Nursery

Before addition can be introduced, children need to have a secure knowledge of number. In Nursery, children are introduced to the concept of counting, number order and number recognition through practical activities and games. This is taught through child initiated games such as hide and seek and I spy. Children also learn how to count 1-1 (pointing to each object as they count) and that anything can be counted, for example, claps, steps and jumps. This is reinforced by opportunities provided in the outdoor area for the children to count e.g. counting building blocks, twigs etc.

#### Reception

Before addition can be introduced, children in Reception build on concepts taught in Nursery by working through the number objectives in the 40 – 60 month band of Development Matters. Children need to have a secure knowledge of number in order to begin addition. Children are then introduced to the concept of addition through practical games and activities. Children act out addition sums to physically add two groups of objects together and use arm gestures to represent the signs + and =. This is reinforced by opportunities provided in the outdoor area for the children to use addition e.g. adding together groups of building blocks, twigs etc. Children build on their previous knowledge of ‘more’ by learning that adding two groups of objects together gives them a larger number (more objects). Adults model addition vocabulary supported by age appropriate definition. An example of this is “addition means we add two groups together / we put 2 lots of objects together. Equals means we find out how many we have got altogether. 3 add 2 equals 5! We have got 5 altogether”. Adults support children in recording their addition sums in the written form on whiteboards and in their maths books.



### Subtraction



#### Nursery

## Calculation Policy

Before subtraction can be introduced, children need to have a secure knowledge of number. In Nursery, children are introduced to the concept of counting backwards. This is taught through child initiated games indoors and outdoors such as acting out counting songs and running races (children shouting “5,4,3,2,1,0 - GO!”).

### Reception


Before subtraction can be introduced, children in Reception build on concepts taught in Nursery by working through the number objectives in the 40 – 60 month band of Development Matters. Children need to have a secure knowledge of number in order to begin subtraction. Children are then introduced to the concept of subtraction through practical games and activities. Children act out subtractions to physically subtract a number of objects from a group. Children use arm gestures to represent the signs - and =. This is reinforced by opportunities provided in the outdoor area for the children to count e.g. counting building blocks, twigs etc. Children build on their previous knowledge of ‘less’ by learning that subtracting means taking away a certain number of objects from a group (leaving them with less objects). Adults model subtraction vocabulary supported by age appropriate definition. An example of this is “subtraction means we take away objects from a group / we have 11 got less objects now. Equals means we find out how many we have got left. Wow! We have only got 3 left!” Adults support children in recording their subtractions in the written form on whiteboards and in their maths books.



## Multiplication

### Nursery and Reception

By the end of Reception, children are expected to understand the concept of doubling and to be able to double a number up to 10. Before doubling can be introduced, children need to have a secure knowledge of counting, number facts and addition in order to double. Children are then introduced to the concept of doubling through practical games and activities, including the use of the outdoor areas. Children act out ‘doubling’ by physically add two equal groups together to find out the ‘doubles’ answer.



## Division

### Nursery and Reception

By the end of Reception, children are expected to understand the concept of halving and sharing. Before this can be introduced, children need to have a secure knowledge of counting backwards, number facts and subtraction in order to halve and share. Children are then introduced to the concept of halving and sharing through practical games and activities. They act out 'halving and sharing' through activities such as sharing food for their Teddy Bear's Picnic, sharing resources equally to play a game. This is reinforced by opportunities provided in the outdoor area for the children to halve and share out objects such as building blocks, twigs etc.





## KEY STAGE 1

Children develop the core ideas that underpin all calculation. They begin by connecting calculation with counting on and counting back, but they should learn that understanding wholes and parts will enable them to calculate efficiently and accurately, and with greater flexibility. They learn how to use an understanding of 10s and 1s to develop their calculation strategies, especially in addition and subtraction.

**Key language:** whole, part, ones, ten, tens, number bond, add, addition, plus, total, altogether, subtract, subtraction, find the difference, take away, minus, less, more, group, share, equal, equals, is equal to, groups, equal groups, times, multiply, multiplied by, divide, share, shared equally, times-table

**Addition and subtraction:** Children first learn to connect addition and subtraction with counting, but they soon develop two very important skills: an understanding of parts and wholes, and an understanding of unitising 10s, to develop efficient and effective calculation strategies based on known number bonds and an increasing awareness of place value. Addition and subtraction are taught in a way that is interlinked to highlight the link between the two operations. A key idea is that children will select methods and approaches based on their number sense. For example, in Year 1, when faced with  $15 - 3$  and  $15 - 13$ , they will adapt their ways of approaching the calculation appropriately. The teaching should always emphasise the importance of mathematical thinking to ensure accuracy and flexibility of approach, and the importance of using known number facts to harness their recall of bonds within 20 to support both addition and subtraction methods.

In Year 2, they will start to see calculations presented in a column format, although this is not expected to be formalised until KS2. We show the column method in Year 2 as an option; teachers may not wish to include it until Year 3.

**Multiplication and division:** Children develop an awareness of equal groups and link this with counting in equal steps, starting with 2s, 5s and 10s. In Year 2, they learn to connect the language of equal groups with the mathematical symbols for multiplication and division.







They learn how multiplication and division can be related to repeated addition and repeated subtraction to find the answer to the calculation. In this key stage, it is vital that children explore and experience a variety of strong images and manipulative representations of equal groups, including concrete experiences as well as abstract calculations.

Children begin to recall some key multiplication facts, including doubles, and an understanding of the 2, 5 and 10 times-tables and how they are related to counting.

**Fractions:** In Year 1, children encounter halves and quarters, and link this with their understanding of sharing. They experience key spatial representations of these fractions, and learn to recognise examples and non-examples, based on their awareness of equal parts of a whole.

In Year 2, they develop an awareness of unit fractions and experience non-unit fractions, and they learn to write them and read them in the common format of numerator and denominator.

Year 1

	Concrete	Pictorial	Abstract
<p><b>Year 1 Addition</b></p>	<p><b>Counting and adding more</b> Children add one more person or object to a group to find one more.</p>	<p><b>Counting and adding more</b> Children add one more cube or counter to a group to represent one more.</p>  <p><i>One more than 4 is 5.</i></p>	<p><b>Counting and adding more</b> Use a number line to understand how to link counting on with finding one more.</p>  <p><i>One more than 6 is 7. 7 is one more than 6.</i></p> <p>Learn to link counting on with adding more than one.</p>  <p><math>5 + 3 = 8</math></p>
	<p><b>Understanding part-part-whole relationship</b> Sort people and objects into parts and understand the relationship with the whole.</p>  <p><i>The parts are 2 and 4. The whole is 6.</i></p>	<p><b>Understanding part-part-whole relationship</b> Children draw to represent the parts and understand the relationship with the whole.</p>  <p><i>The parts are 1 and 5. The whole is 6.</i></p>	<p><b>Understanding part-part-whole relationship</b> Use a part-whole model to represent the numbers.</p>  <p><math>6 + 4 = 10</math></p> <p><math>6 + 4 = 10</math></p>
	<p><b>Knowing and finding number bonds within 10</b></p>	<p><b>Knowing and finding number bonds within 10</b></p>	<p><b>Knowing and finding number bonds within 10</b></p>



Break apart a group and put back together to find and form number bonds.




$$3 + 4 = 7$$




$$6 = 2 + 4$$

Use five and ten frames to represent key number bonds.





$$5 = 4 + 1$$



$$10 = 7 + 3$$


Use a part-whole model alongside other representations to find number bonds. Make sure to include examples where one of the parts is zero.



$$4 + 0 = 4$$


$$3 + 1 = 4$$

**Understanding teen numbers as a complete 10 and some more**  
Complete a group of 10 objects and count more.



*13 is 10 and 3 more.*

**Understanding teen numbers as a complete 10 and some more**  
Use a ten frame to support understanding of a complete 10 for teen numbers.



*13 is 10 and 3 more.*









**Understanding teen numbers as a complete 10 and some more.**

*1 ten and 3 ones equal 13.*  
 $10 + 3 = 13$

**Adding by counting on**  
Children use knowledge of counting to 20 to find a total by counting on using people or objects.


**Adding by counting on**  
Children use counters to support and represent their counting on strategy.

**Adding by counting on**  
Children use number lines or number tracks to support their counting on strategy.

			
	<p><b>Adding the 1s</b> Children use bead strings to recognise how to add the 1s to find the total efficiently.</p>  <p><math>2 + 3 = 5</math> <math>12 + 3 = 15</math></p>	<p><b>Adding the 1s</b> Children represent calculations using ten frames to add a teen and 1s.</p>  <p><math>2 + 3 = 5</math> <math>12 + 3 = 15</math></p>	<p><b>Adding the 1s</b> Children recognise that a teen is made from a 10 and some 1s and use their knowledge of addition within 10 to work efficiently.</p> <p><math>3 + 5 = 8</math> So, <math>13 + 5 = 18</math></p>
	<p><b>Bridging the 10 using number bonds</b> Children use a bead string to complete a 10 and understand how this relates to the addition.</p>  <p><i>7 add 3 makes 10. So, 7 add 5 is 10 and 2 more.</i></p>	<p><b>Bridging the 10 using number bonds</b> Children use counters to complete a ten frame and understand how they can add using knowledge of number bonds to 10.</p> 	<p><b>Bridging the 10 using number bonds</b> Use a part-whole model and a number line to support the calculation.</p>  <p><math>9 + 4 = 13</math></p>
<p><b>Year 1 Subtraction</b></p>	<p><b>Counting back and taking away</b> Children arrange objects and remove to find how many are left.</p>	<p><b>Counting back and taking away</b> Children draw and cross out or use counters to represent objects from a problem.</p>	<p><b>Counting back and taking away</b> Children count back to take away and use a number line or number track to support the method.</p>




1 less than 6 is 5.  
6 subtract 1 is 5.



$$9 - \square = \square$$


There are  children left.



$$9 - 3 = 6$$

**Finding a missing part, given a whole and a part**


Children separate a whole into parts and understand how one part can be found by subtraction.



$$8 - 5 = ?$$

**Finding a missing part, given a whole and a part**


Children represent a whole and a part and understand how to find the missing part by subtraction.



$$5 - 4 = \square$$


**Finding a missing part, given a whole and a part**

Children use a part-whole model to support the subtraction to find a missing part.



$$7 - 3 = ?$$

Children develop an understanding of the relationship between addition and subtraction facts in a part-whole model.




**Finding the difference**

Arrange two groups so that the difference between the groups can be worked out.

**Finding the difference**







Represent objects using sketches or counters to support finding the difference.
















**Finding the difference**

Children understand 'find the difference' as subtraction.



 <p>8 is 2 more than 6. 6 is 2 less than 8. The difference between 8 and 6 is 2.</p>	$5 - 4 = 1$ The difference between 5 and 4 is 1.	$10 - 4 = 6$ The difference between 10 and 6 is 4.
<p><b>Subtraction within 20</b> Understand when and how to subtract 1s efficiently.</p> <p>Use a bead string to subtract 1s efficiently.</p>  <p><math>5 - 3 = 2</math> <math>15 - 3 = 12</math></p>	<p><b>Subtraction within 20</b> Understand when and how to subtract 1s efficiently.</p>  <p><math>5 - 3 = 2</math> <math>15 - 3 = 12</math></p>	<p><b>Subtraction within 20</b> Understand how to use knowledge of bonds within 10 to subtract efficiently.</p> <p><math>5 - 3 = 2</math> <math>15 - 3 = 12</math></p>
<p><b>Subtracting 10s and 1s</b> For example: <math>18 - 12</math></p> <p>Subtract 12 by first subtracting the 10, then the remaining 2.</p>  <p>First subtract the 10, then take away 2.</p>	<p><b>Subtracting 10s and 1s</b> For example: <math>18 - 12</math></p> <p>Use ten frames to represent the efficient method of subtracting 12.</p>  <p>First subtract the 10, then subtract 2.</p>	<p><b>Subtracting 10s and 1s</b> Use a part-whole model to support the calculation.</p>  <p><math>19 - 14</math> <math>19 - 10 = 9</math> <math>9 - 4 = 5</math> So, <math>19 - 14 = 5</math></p>
<p><b>Subtraction bridging 10 using number bonds</b> For example: <math>12 - 7</math></p> <p>Arrange objects into a 10 and some 1s, then decide on how to split the 7 into parts.</p>	<p><b>Subtraction bridging 10 using number bonds</b> Represent the use of bonds using ten frames.</p>	<p><b>Subtraction bridging 10 using number bonds</b> Use a number line and a part-whole model to support the method.</p> <p><math>13 - 5</math></p>

	 <p>7 is 2 and 5, so I take away the 2 and then the 5.</p>	 <p>For <math>13 - 5</math>, I take away 3 to make 10, then take away 2 to make 8.</p>																																																			
<p><b>Year 1 Multiplication</b></p>	<p><b>Recognising and making equal groups</b> Children arrange objects in equal and unequal groups and understand how to recognise whether they are equal.</p> <p>A  B  C </p>	<p><b>Recognising and making equal groups</b> Children draw and represent equal and unequal groups.</p> <p>A  B </p>	<p><b>Describe equal groups using words</b></p> <p>Three equal groups of 4. Four equal groups of 3.</p>																																																		
	<p><b>Finding the total of equal groups by counting in 2s, 5s and 10s</b></p>  <p>There are 5 pens in each pack ... 5...10...15...20...25...30...35...40...</p>	<p><b>Finding the total of equal groups by counting in 2s, 5s and 10s</b> 100 squares and ten frames support counting in 2s, 5s and 10s.</p>  <table border="1" data-bbox="965 975 1223 1110"> <tbody> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td></tr> <tr><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td></tr> <tr><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td></tr> <tr><td>31</td><td>32</td><td>33</td><td>34</td><td>35</td><td>36</td><td>37</td><td>38</td><td>39</td><td>40</td></tr> <tr><td>41</td><td>42</td><td>43</td><td>44</td><td>45</td><td>46</td><td>47</td><td>48</td><td>49</td><td>50</td></tr> </tbody> </table>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	<p><b>Finding the total of equal groups by counting in 2s, 5s and 10s</b> Use a number line to support repeated addition through counting in 2s, 5s and 10s.</p> 
1	2	3	4	5	6	7	8	9	10																																												
11	12	13	14	15	16	17	18	19	20																																												
21	22	23	24	25	26	27	28	29	30																																												
31	32	33	34	35	36	37	38	39	40																																												
41	42	43	44	45	46	47	48	49	50																																												
<p><b>Year 1 Division</b></p>	<p><b>Grouping</b> Learn to make equal groups from a whole and find how many equal groups of a certain size can be made.</p> <p>Sort a whole set people and objects into equal groups.</p>	<p><b>Grouping</b> Represent a whole and work out how many equal groups.</p>  <p>There are 10 in total. There are 5 in each group.</p>	<p><b>Grouping</b> Children may relate this to counting back in steps of 2, 5 or 10.</p> 																																																		






*There are 10 children altogether.  
There are 2 in each group.  
There are 5 groups.*

*There are 2 groups.*


**Sharing**

Share a set of objects into equal parts and work out how many are in each part.



**Sharing**

Sketch or draw to represent sharing into equal parts. This may be related to fractions.







































**Sharing**

*10 shared into 2 equal groups gives 5 in each group.*



Year 2









	Concrete	Pictorial	Abstract										
<b>Year 2 Addition</b>													
<b>Understanding 10s and 1s</b>	<p>Group objects into 10s and 1s.</p>  <p>Bundle straws to understand unitising of 10s.</p> 	<p>Understand 10s and 1s equipment, and link with visual representations on ten frames.</p> 	<p>Represent numbers on a place value grid, using equipment or numerals.</p> <table border="1" data-bbox="1556 422 1870 758"> <thead> <tr> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> <tr> <td>3</td> <td>2</td> </tr> <tr> <th>Tens</th> <th>Ones</th> </tr> <tr> <td>4</td> <td>3</td> </tr> </tbody> </table>	Tens	Ones			3	2	Tens	Ones	4	3
Tens	Ones												
													
3	2												
Tens	Ones												
4	3												
<b>Adding 10s</b>	<p>Use known bonds and unitising to add 10s.</p>  <p><i>I know that 4 + 3 = 7. So, I know that 4 tens add 3 tens is 7 tens.</i></p>	<p>Use known bonds and unitising to add 10s.</p>  <p><i>I know that 4 + 3 = 7. So, I know that 4 tens add 3 tens is 7 tens.</i></p>	<p>Use known bonds and unitising to add 10s.</p>  <p>4 + 3 = <input type="text"/></p> <p>4 + 3 = 7 4 tens + 3 tens = 7 tens 40 + 30 = 70</p>										
<b>Adding a 1-digit number to a 2-digit</b>	<p>Add the 1s to find the total. Use known bonds within 10.</p>	<p>Add the 1s.</p>	<p>Add the 1s.</p> <p>Understand the link between counting on and using known number facts. Children</p>										

<p><b>number not bridging a 10</b></p>	 <p>41 is 4 tens and 1 one. 41 add 6 ones is 4 tens and 7 ones.</p> <p>This can also be done in a place value grid.</p> <table border="1" data-bbox="358 459 622 730"> <thead> <tr> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </tbody> </table>	T	O					 <p>34 is 3 tens and 4 ones. 4 ones and 5 ones are 9 ones. The total is 3 tens and 9 ones.</p> <table border="1" data-bbox="963 395 1236 683"> <thead> <tr> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> <tr> <td></td> <td></td> </tr> </tbody> </table>	T	O					<p>should be encouraged to use known number bonds to improve efficiency and accuracy.</p>  <p>This can be represented horizontally or vertically.</p> <p><math>34 + 5 = 39</math></p> <p>or</p> <table border="1" data-bbox="1579 566 1736 790"> <thead> <tr> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>4</td> </tr> <tr> <td>+</td> <td>5</td> </tr> <tr> <td colspan="2"><hr/></td> </tr> <tr> <td></td> <td>9</td> </tr> </tbody> </table>	T	O	3	4	+	5	<hr/>			9
T	O																								
																									
																									
T	O																								
																									
																									
T	O																								
3	4																								
+	5																								
<hr/>																									
	9																								
<p><b>Adding a 1-digit number to a 2-digit number bridging 10</b></p>	<p>Complete a 10 using number bonds.</p>  <p>There are 4 tens and 5 ones. I need to add 7. I will use 5 to complete a 10, then add 2 more.</p>	<p>Complete a 10 using number bonds.</p> 	<p>Complete a 10 using number bonds.</p>  <p><math>7 = 5 + 2</math> <math>45 + 5 + 2 = 52</math></p>																						
<p><b>Adding a 1-digit number to a 2-digit number using exchange</b></p>	<p>Exchange 10 ones for 1 ten.</p>	<p>Exchange 10 ones for 1 ten.</p>	<p>Exchange 10 ones for 1 ten.</p>																						







<p><b>Adding a multiple of 10 to a 2-digit number</b></p>	<p>Add the 10s and then recombine.</p> <p><i>27 is 2 tens and 7 ones. 50 is 5 tens.</i></p> <p><i>There are 7 tens in total and 7 ones. So, 27 + 50 is 7 tens and 7 ones.</i></p>	<p>Add the 10s and then recombine.</p> <p><i>66 is 6 tens and 6 ones. 66 + 10 = 76</i></p> <p>A 100 square can support this understanding.</p> <table border="1" data-bbox="958 1011 1198 1251"> <tbody> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td></tr> <tr><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td></tr> <tr><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td></tr> <tr><td>31</td><td>32</td><td>33</td><td>34</td><td>35</td><td>36</td><td>37</td><td>38</td><td>39</td><td>40</td></tr> <tr><td>41</td><td>42</td><td>43</td><td>44</td><td>45</td><td>46</td><td>47</td><td>48</td><td>49</td><td>50</td></tr> <tr><td>51</td><td>52</td><td>53</td><td>54</td><td>55</td><td>56</td><td>57</td><td>58</td><td>59</td><td>60</td></tr> <tr><td>61</td><td>62</td><td>63</td><td>64</td><td>65</td><td>66</td><td>67</td><td>68</td><td>69</td><td>70</td></tr> <tr><td>71</td><td>72</td><td>73</td><td>74</td><td>75</td><td>76</td><td>77</td><td>78</td><td>79</td><td>80</td></tr> <tr><td>81</td><td>82</td><td>83</td><td>84</td><td>85</td><td>86</td><td>87</td><td>88</td><td>89</td><td>90</td></tr> <tr><td>91</td><td>92</td><td>93</td><td>94</td><td>95</td><td>96</td><td>97</td><td>98</td><td>99</td><td>100</td></tr> </tbody> </table>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	<p>Add the 10s and then recombine.</p> <p><math>37 + 20 = ?</math></p> <p><math>30 + 20 = 50</math> <math>50 + 7 = 57</math></p> <p><math>37 + 20 = 57</math></p>
1	2	3	4	5	6	7	8	9	10																																																																																														
11	12	13	14	15	16	17	18	19	20																																																																																														
21	22	23	24	25	26	27	28	29	30																																																																																														
31	32	33	34	35	36	37	38	39	40																																																																																														
41	42	43	44	45	46	47	48	49	50																																																																																														
51	52	53	54	55	56	57	58	59	60																																																																																														
61	62	63	64	65	66	67	68	69	70																																																																																														
71	72	73	74	75	76	77	78	79	80																																																																																														
81	82	83	84	85	86	87	88	89	90																																																																																														
91	92	93	94	95	96	97	98	99	100																																																																																														
<p><b>Adding a multiple of 10 to a 2-digit number using columns</b></p>	<p>Add the 10s using a place value grid to support.</p>	<p>Add the 10s using a place value grid to support.</p>	<p>Add the 10s represented vertically. Children must understand how the method relates to unitising of 10s and place value.</p>																																																																																																				





































	<p>16 is 1 ten and 6 ones. 30 is 3 tens. There are 4 tens and 6 ones in total.</p>	<p>16 is 1 ten and 6 ones. 30 is 3 tens. There are 4 tens and 6 ones in total.</p>	<p>1 + 3 = 4 1 ten + 3 tens = 4 tens 16 + 30 = 46</p>
<p><b>Adding two 2-digit numbers</b></p>	<p>Add the 10s and 1s separately.</p> <p>5 + 3 = 8 There are 8 ones in total.</p> <p>3 + 2 = 5 There are 5 tens in total.</p> <p>35 + 23 = 58</p>	<p>Add the 10s and 1s separately. Use a part-whole model to support.</p> <p>32 + 11 = 43</p> <p>11 = 10 + 1 32 + 10 = 42 42 + 1 = 43</p> <p>32 + 11 = 43</p>	<p>Add the 10s and the 1s separately, bridging 10s where required. A number line can support the calculations.</p> <p>17 + 25 = 42</p>
<p><b>Adding two 2-digit numbers using a place value grid</b></p>	<p>Add the 1s. Then add the 10s.</p>		<p>Add the 1s. Then add the 10s.</p>










			$\begin{array}{r} \text{T O} \\ 32 \\ + 14 \\ \hline 46 \end{array}$
<p><b>Adding two 2-digit numbers with exchange</b></p>	<p>Add the 1s. Exchange 10 ones for a ten. Then add the 10s.</p>		<p>Add the 1s. Exchange 10 ones for a ten. Then add the 10s.</p> $\begin{array}{r} \text{T O} \\ 36 \\ + 29 \\ \hline 65 \end{array}$
<p><b>Year 2 Subtraction</b></p>			
<p><b>Subtracting multiples of 10</b></p>	<p>Use known number bonds and unitising to subtract multiples of 10.</p>	<p>Use known number bonds and unitising to subtract multiples of 10.</p>	<p>Use known number bonds and unitising to subtract multiples of 10.</p>

	 <p>8 subtract 6 is 2. So, 8 tens subtract 6 tens is 2 tens.</p>	<table border="1" data-bbox="958 124 1310 220"> <tr> <td colspan="2">100</td> </tr> <tr> <td></td> <td>30</td> </tr> </table> <p><math>10 - 3 = 7</math> So, 10 tens subtract 3 tens is 7 tens.</p>	100			30	 <p>7 tens subtract 5 tens is 2 tens. <math>70 - 50 = 20</math></p>				
100											
	30										
<p><b>Subtracting a single-digit number</b></p>	<p>Subtract the 1s. This may be done in or out of a place value grid.</p> 	<p>Subtract the 1s. This may be done in or out of a place value grid.</p> 	<p>Subtract the 1s. Understand the link between counting back and subtracting the 1s using known bonds.</p>  <table data-bbox="1556 657 1691 810"> <tr> <td>T</td> <td>O</td> </tr> <tr> <td>3</td> <td>9</td> </tr> <tr> <td>-</td> <td>3</td> </tr> <tr> <td>3</td> <td>6</td> </tr> </table> <p><math>9 - 3 = 6</math> <math>39 - 3 = 36</math></p>	T	O	3	9	-	3	3	6
T	O										
3	9										
-	3										
3	6										
<p><b>Subtracting a single-digit number bridging 10</b></p>	<p>Bridge 10 by using known bonds.</p>  <p><math>35 - 6</math> I took away 5 counters, then 1 more.</p>	<p>Bridge 10 by using known bonds.</p>  <p><math>35 - 6</math> First, I will subtract 5, then 1.</p>	<p>Bridge 10 by using known bonds.</p>  <p><math>24 - 6 = ?</math> <math>24 - 4 - 2 = ?</math></p>								
<p><b>Subtracting a single-digit number using exchange</b></p>	<p>Exchange 1 ten for 10 ones. This may be done in or out of a place value grid.</p>	<p>Exchange 1 ten for 10 ones.</p>	<p>Exchange 1 ten for 10 ones.</p>								




			 <p><math>25 - 7 = 18</math></p>																																																																																																				
<p><b>Subtracting a 2-digit number</b></p>	<p>Subtract by taking away.</p>  <p><math>61 - 18</math> I took away 1 ten and 8 ones.</p>	<p>Subtract the 10s and the 1s.</p> <p>This can be represented on a 100 square.</p> <table border="1" data-bbox="958 767 1330 1139"> <tbody> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td></tr> <tr><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td></tr> <tr><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td></tr> <tr><td>31</td><td>32</td><td>33</td><td>34</td><td>35</td><td>36</td><td>37</td><td>38</td><td>39</td><td>40</td></tr> <tr><td>41</td><td>42</td><td>43</td><td>44</td><td>45</td><td>46</td><td>47</td><td>48</td><td>49</td><td>50</td></tr> <tr><td>51</td><td>52</td><td>53</td><td>54</td><td>55</td><td>56</td><td>57</td><td>58</td><td>59</td><td>60</td></tr> <tr><td>61</td><td>62</td><td>63</td><td>64</td><td>65</td><td>66</td><td>67</td><td>68</td><td>69</td><td>70</td></tr> <tr><td>71</td><td>72</td><td>73</td><td>74</td><td>75</td><td>76</td><td>77</td><td>78</td><td>79</td><td>80</td></tr> <tr><td>81</td><td>82</td><td>83</td><td>84</td><td>85</td><td>86</td><td>87</td><td>88</td><td>89</td><td>90</td></tr> <tr><td>91</td><td>92</td><td>93</td><td>94</td><td>95</td><td>96</td><td>97</td><td>98</td><td>99</td><td>100</td></tr> </tbody> </table>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	<p>Subtract the 10s and the 1s.</p> <p>This can be represented on a number line.</p>  <p><math>64 - 41 = ?</math></p> <p><math>64 - 1 = 63</math> <math>63 - 40 = 23</math> <math>64 - 41 = 23</math></p>  <p><math>46 - 20 = 26</math> <math>26 - 5 = 21</math> <math>46 - 25 = 21</math></p>
1	2	3	4	5	6	7	8	9	10																																																																																														
11	12	13	14	15	16	17	18	19	20																																																																																														
21	22	23	24	25	26	27	28	29	30																																																																																														
31	32	33	34	35	36	37	38	39	40																																																																																														
41	42	43	44	45	46	47	48	49	50																																																																																														
51	52	53	54	55	56	57	58	59	60																																																																																														
61	62	63	64	65	66	67	68	69	70																																																																																														
71	72	73	74	75	76	77	78	79	80																																																																																														
81	82	83	84	85	86	87	88	89	90																																																																																														
91	92	93	94	95	96	97	98	99	100																																																																																														
<p><b>Subtracting a 2-digit number using place</b></p>	<p>Subtract the 1s. Then subtract the 10s. This may be done in or out of a place value grid.</p>	<p>Subtract the 1s. Then subtract the 10s.</p>	<p>Using column subtraction, subtract the 1s. Then subtract the 10s.</p>																																																																																																				

<p><b>value and columns</b></p>	<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">T</th> <th style="width: 50%;">O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table> <p><math>38 - 16 = 22</math></p>	T	O			<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">Tens</th> <th style="width: 50%;">Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>	Tens	Ones			<table style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">T</th> <th style="width: 50%;">O</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>5</td> </tr> <tr> <td>- 1</td> <td>2</td> </tr> <tr> <td style="border-top: 1px solid black;">3</td> <td style="border-top: 1px solid black;">3</td> </tr> </tbody> </table> <table style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">T</th> <th style="width: 50%;">O</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>5</td> </tr> <tr> <td>- 1</td> <td>2</td> </tr> <tr> <td style="border-top: 1px solid black;">3</td> <td style="border-top: 1px solid black;">3</td> </tr> </tbody> </table>	T	O	4	5	- 1	2	3	3	T	O	4	5	- 1	2	3	3																
T	O																																										
																																											
Tens	Ones																																										
																																											
T	O																																										
4	5																																										
- 1	2																																										
3	3																																										
T	O																																										
4	5																																										
- 1	2																																										
3	3																																										
<p><b>Subtracting a 2-digit number with exchange</b></p>		<p>Exchange 1 ten for 10 ones. Then subtract the 1s. Then subtract the 10s.</p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">Tens</th> <th style="width: 50%;">Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">Tens</th> <th style="width: 50%;">Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">Tens</th> <th style="width: 50%;">Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">Tens</th> <th style="width: 50%;">Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>	Tens	Ones			Tens	Ones			Tens	Ones			Tens	Ones			<p>Using column subtraction, exchange 1 ten for 10 ones. Then subtract the 1s. Then subtract the 10s.</p> <table style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">T</th> <th style="width: 50%;">O</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>5</td> </tr> <tr> <td>- 2</td> <td>7</td> </tr> <tr> <td style="border-top: 1px solid black;">2</td> <td style="border-top: 1px solid black;">2</td> </tr> </tbody> </table> <table style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">T</th> <th style="width: 50%;">O</th> </tr> </thead> <tbody> <tr> <td><del>3</del></td> <td>15</td> </tr> <tr> <td>- 2</td> <td>7</td> </tr> <tr> <td style="border-top: 1px solid black;">1</td> <td style="border-top: 1px solid black;">8</td> </tr> </tbody> </table> <table style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">T</th> <th style="width: 50%;">O</th> </tr> </thead> <tbody> <tr> <td><del>3</del></td> <td>15</td> </tr> <tr> <td>- 2</td> <td>7</td> </tr> <tr> <td style="border-top: 1px solid black;">1</td> <td style="border-top: 1px solid black;">8</td> </tr> </tbody> </table>	T	O	4	5	- 2	7	2	2	T	O	<del>3</del>	15	- 2	7	1	8	T	O	<del>3</del>	15	- 2	7	1	8
Tens	Ones																																										
																																											
Tens	Ones																																										
																																											
Tens	Ones																																										
																																											
Tens	Ones																																										
																																											
T	O																																										
4	5																																										
- 2	7																																										
2	2																																										
T	O																																										
<del>3</del>	15																																										
- 2	7																																										
1	8																																										
T	O																																										
<del>3</del>	15																																										
- 2	7																																										
1	8																																										
<p><b>Year 2 Multiplication</b></p>																																											


<p><b>Equal groups and repeated addition</b></p>	<p>Recognise equal groups and write as repeated addition and as multiplication.</p>  <p><i>3 groups of 5 chairs 15 chairs altogether</i></p>	<p>Recognise equal groups using standard objects such as counters and write as repeated addition and multiplication.</p>  <p><i>3 groups of 5 15 in total</i></p>	<p>Use a number line and write as repeated addition and as multiplication.</p>  <p><math>5 + 5 + 5 = 15</math> <math>3 \times 5 = 15</math></p>
<p><b>Using arrays to represent multiplication and support understanding</b></p>	<p>Understand the relationship between arrays, multiplication and repeated addition.</p>  <p><i>4 groups of 5</i></p>	<p>Understand the relationship between arrays, multiplication and repeated addition.</p>  <p><i>4 groups of 5 ... 5 groups of 5</i></p>	<p>Understand the relationship between arrays, multiplication and repeated addition.</p>  <p><math>5 \times 5 = 25</math></p>
<p><b>Understanding commutativity</b></p>	<p>Use arrays to visualise commutativity.</p>  <p><i>I can see 6 groups of 3. I can see 3 groups of 6.</i></p>	<p>Form arrays using counters to visualise commutativity. Rotate the array to show that orientation does not change the multiplication.</p>  <p><i>This is 2 groups of 6 and also 6 groups of 2.</i></p>	<p>Use arrays to visualise commutativity.</p>  <p><math>4 + 4 + 4 + 4 + 4 = 20</math> <math>5 + 5 + 5 + 5 = 20</math> <math>4 \times 5 = 20</math> and <math>5 \times 4 = 20</math></p>
<p><b>Learning <math>\times 2</math>, <math>\times 5</math> and <math>\times 10</math> table facts</b></p>	<p>Develop an understanding of how to unitise groups of 2, 5 and 10 and learn corresponding times-table facts.</p>	<p>Understand how to relate counting in unitised groups and repeated addition with knowing key times-table facts.</p>	<p>Understand how the times-tables increase and contain patterns.</p>



3 groups of 10 ... 10, 20, 30  
 $3 \times 10 = 30$



$10 + 10 + 10 = 30$   
 $3 \times 10 = 30$



$5 \times 10 = 50$   
 $6 \times 10 = 60$


**Year 2  
 Division**

**Sharing  
 equally**

Start with a whole and share into equal parts, one at a time.


Represent the objects shared into equal parts using a bar model.

Use a bar model to support understanding of the division.




12 shared equally between 2.  
They get 6 each.

Start to understand how this also relates to grouping. To share equally between 3 people, take a group of 3 and give 1 to each person. Keep going until all the objects have been shared




They get 5  each.

15 shared equally between 3.  
They get 5 each.



20 shared into 5 equal parts.  
There are 4 in each part.



$$18 \div 2 = 9$$

**Grouping equally**









Understand how to make equal groups from a whole.



8 divided into 4 equal groups.  
There are 2 in each group.

Understand the relationship between grouping and the division statements.

Understand how to relate division by grouping to repeated subtraction.

		<p><math>12 \div 3 = 4</math></p>  <p><math>12 \div 4 = 3</math></p>  <p><math>12 \div 6 = 2</math></p>  <p><math>12 \div 2 = 6</math></p> 	 <p>There are 4 groups now.</p> <p><i>12 divided into groups of 3.</i>  <math>12 \div 3 = 4</math></p> <p><i>There are 4 groups.</i></p>
<p><b>Using known times-tables to solve divisions</b></p>	<p>Understand the relationship between multiplication facts and division.</p>  <p><i>4 groups of 5 cars is 20 cars in total.          20 divided by 4 is 5.</i></p>	<p>Link equal grouping with repeated subtraction and known times-table facts to support division.</p>  <p><i>40 divided by 4 is 10.</i></p> <p>Use a bar model to support understanding of the link between times-table knowledge and division.</p> 	<p>Relate times-table knowledge directly to division.</p> <p> <math>1 \times 10 = 10</math>  <math>2 \times 10 = 20</math>  <math>3 \times 10 = 30</math>  <math>4 \times 10 = 40</math>  <math>5 \times 10 = 50</math>  <math>6 \times 10 = 60</math>  <math>7 \times 10 = 70</math>  <math>8 \times 10 = 80</math> </p> <div data-bbox="1727 715 1955 938" style="border: 1px solid orange; border-radius: 15px; padding: 10px; display: inline-block;"> <p>I used the 10 times-table to help me.  <math>3 \times 10 = 30</math>.</p> </div> <p><i>I know that 3 groups of 10 makes 30, so I know that 30 divided by 10 is 3.</i></p> <p><math>3 \times 10 = 30</math> so <math>30 \div 10 = 3</math></p>